

## ADAMYCIN 5%

### Injectable Solution Containing Oxytetracycline Hydrochloride 5%

#### Composition

Each 1ml contains 50mg Oxytetracycline Hydrochloride

#### Description

Adamycin 5% Injectable solution is a broad spectrum antibiotic preparation for the treatment and control of infections caused by, or associated with Oxytetracycline-sensitive organisms. It is effective against a wide range of Gram-positive and Gram-negative bacteria, certain *Mycoplasma species*, *Rickettsiae*, *Protozoa* and *Chlamydia*. Adamycin 5% Injectable solution is a sterile and stable form of Oxytetracycline hydrochloride, and may be administered to large and small domestic and farm animals.

#### Indications

Adamycin 5% Injectable solution is used to treat infections caused by Oxytetracycline susceptible Micro-organisms in the Gastrointestinal, Respiratory and Urogenital tracts. This product is also used for treatment and control of secondary infections associated with virus pneumonia and navel-ill in cattle and pigs.

#### Dosage and Administration:

For best results, treatment should be based on culture and sensitivity tests.

**1. Large Animals:** 2-5 ml per 50kg body weight daily.

**2. Small Animals:** 5-10 ml per 50kg body weight daily.

#### Precautions

Adamycin 5% Injectable solution is for veterinary use only.

Treatment should be discontinued 5 days prior to slaughter in injected animals. Milk from lactating animals should be discarded during treatment and for 2 days after the final administration.

Following withdrawal of the first dose use the product within 28 days.

Discard unused material after 28 days.

Keep out of reach of children.

Use a sterile needle and syringe.

FOR ANIMAL TREATMENT ONLY

#### Storage

Adamycin should be stored in a cool, dark place.

#### Package

Bottles of 50, 100, 250 and 500 ml

#### Manufactured by:

Norbrook Laboratories Ltd  
Station Works, Newry Co. Down  
Northern Ireland, U.K.

POM



#### BIMEDA LTD.

Funzi Road, Industrial Area. P.O. Box 30620-00100,  
Nairobi, Kenya

Tel: +254 20 6537622-6 Fax: +254 20 6537628