

# ACARICIDE



Global Excellence in Animal Health

## **BIMATIX** **ALPHACYPERMETHRIN 10% EC**

**A Broad Spectrum Acaricide for Veterinary use for control of Ticks on Cattle**

### **DIRECTION FOR USE**

**BIMATIX 10% EC** is a broad spectrum synthetic pyrethroid acaricide and insecticide. It contains Alphacypermethrin which kills ticks on cattle and also controls Tsetse fly, biting flies and other nuisance flies as well as lice, fleas and lice.

### **APPLICATION RATES:**

**HAND SPRAY:** Use 10 ml BIMATIX per 20 litres of water. Ensure thorough wetting of animals particularly the ear, neck and around tail base and tail end.

### **WITHHOLDING PERIOD :**

Meat: 1 day  
Milk : 12 hours  
Offals: 4 days

**RECOMMENDATIONS:** Animals should be treated once a week but when tick challenge is not high, treat after every two weeks.

**USE LIMITATIONS:** For external use only. Apply product in well ventilated area.

**PRECAUTIONS:** Do not mix BIMATIX with any other product. Allow one day withdrawal period before slaughter. Keep away from children and store away from food and feed. Wear suitable clothing e.g. overalls, gumboots, hand gloves and face masks. Do not eat, drink or smoke whilst handling the product. Change clothing after the operation and wash them with soap and water.

**SPILLAGE:** Avoid spillage. If it occurs, soak up the material with sand, sawdust or soil and bury the contaminated material at a safe place away from water sources. In case of contact with product wash the affected area immediately with soap and water.

**STORAGE:** Store in the original tightly closed containers

**DISPOSAL:** Do not reuse empty container. Rinse well then bury in a safe place away from water sources in accordance with local and national regulations.



**FIRST AID INSTRUCTIONS:** There is no antidote and in case of poisoning treat symptomatically.

**If swallowed,** seek medical attention immediately.

**If eye exposed,** flush with water.

**If skin exposed,** wash with soap and water.

**If inhaled,** move victim to fresh air.

**If ingested,** do not induce vomiting.

**TOXICOLOGICAL INFORMATION :** If ingested, carry out gastric lavage.

Activated charcoal may reduce further absorption. Symptomatic and supportive treatment is recommended

**NOTE TO PHYSICIAN/ANTIDOTE:** No specific antidote available. Treat symptomatically. Diazepam may be used to control hyperexcitability and/or convulsions

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use or store pest control product under unsafe conditions.



### **BIMEDA LTD.**

Funzi Road, Industrial Area. P.O. Box 30620-00100,  
Nairobi, Kenya

Tel: +254 20 6537622-6 Fax: +254 20 6537628

[www.bimeda.co.ke](http://www.bimeda.co.ke)